



UPRIGHT
REFRIGERATORS

AURA

AURA & AURA PIU

Experience the perfect balance of performance, durability, and smart innovation with Aura & Aura Piu Series Refrigerated Uprights.

Engineered with high-density insulation and food-safe stainless steel, it ensures maximum cooling efficiency while maintaining the highest hygiene standards.

Designed for modern kitchens, it features an intelligent control system, robust construction, and an integrated airflow solution that guarantees consistent temperature distribution and optimal freshness at all times. Whether for demanding daily operations or long-term reliability, this unit delivers powerful performance with sleek design—making it the ideal choice for professional Kitchens

Applications:

- Upright Refrigerator - Upright Freezer - Upright Glass Door Refrigerator
- Upright Fish Refrigerator





Monoblock Cooling Unit

· Fully integrated refrigeration system in a compact footprint, eliminating external components and Maximize Internal Storage



AISI 304 Stainless Steel Construction

- Premium-Grade Interior And Exterior Finish Delivers Maximum Durability And Compliance With The Highest Commercial Hygiene Standards.



Easy-Access Service Panel

- Designed For Quick Technician Access To The Cooling Unit, Reducing Service Time And Kitchen Disruption



Secure Barrel-Lock Doors

Barrel Locked Doors Provide Added Security And Stock Control.



180° Wide-Opening Door

- 180° Door Dwell Ideal For Loading Large Trays Or Pans.



Ergonomic Full-Length Handle

- Full Length Integral Handle Provides Non-Slip Easy Grab On The Door Whilst Minimising Potential Dirt Traps.



Auto-Closing Doors

- Self Closing Doors At 115° Reduces Energy Consumption.



Heavy-Duty Smooth Rollers

Heavy Duty Non-Marking Castors Supplied With Roller Bearings For Easy Positioning.



AURA

AURA PIU




Modular Heavy-Duty Shelves

- Heavy Duty, Nylon Coated Shelves.
- Anti-Tilt Tray Slides.
- Removable Racking.



Intelligent Controller

- HACCP Compatible Intelligent Controller.
- WiFi Connection To Platform.
- Bluetooth Option To Connect



Even Cooling Technology

- Advanced Air Flow Provides Uniform Air Distribution With No Potential Warm Spots.



Removable Magnetic Gaskets

- Heavy Duty Removable Magnetic Balloon Gaskets For 100% Tight Seal And Easy Replacement.



Enhanced PVC Thermal Break

- Manufactured From PVC Material For Maximum Hygiene, And Fitted With A Magnetic Strip That Couples With The Door To Ensure A Complete, Airtight Seal.



Sustainable Performance

- Condenser are Coated with Special Coating to Reduce Dirt and Grease Build.
- Condenser is Fitted with Easy to Clean Air Screen Filter.




Advanced Eco Insulation

- Insulation 60mm Eco-Friendly Polyurethane Insulation Provides Maximum Thermal Properties.



AURA	Upright Refrigerator	Upright Freezer	Upright Glass Door Refrigerator	Upright Fish Refrigerator
Model	ZC1UOA	ZF1UOA	ZC1UGOA	ZF1UFIOA
Dimension	70X80X210 CM	70X80X210 CM	70X80X210 CM	70X80X210 CM
Capacity (liters)	700	700	700	700
No. of Doors	1	1	1	1
Temp C	+2/+8	-15 / -18	+2/+8	-4/-6
Absorbed current	3.5 A	4 A	3.50 A	4 A
Supply Voltage	~230V/50-60HZ	~230V/50-60HZ	~230V/50-60HZ	~230V/50-60HZ
Refrigerant	R134A (R290- Optional)	R404A (R290 - Optional)	R134A (R290- Optional)	R404A (R290 - Optional)

AURA	Upright Refrigerator	Upright Freezer	Upright Glass Door Refrigerator	Upright Fish Refrigerator
Model	ZC2UOA	ZF2UOA	ZC2UGOA	ZF2UFIOA
Dimension	140X80X210 CM	140x 80x 210 CM	140 x 80 x 210 CM	140 x 80 x 210 CM
Capacity (liters)	1400	1400	1400	1400
No. of Doors	2	2	2	2
Temp C	+2/+8	-15 / -18	+2/+8	-4/-6
Absorbed current	4 A	6 A	4 A	6 A
Supply Voltage	~230V/50-60HZ	~230V/60HZ	~230V/50-60HZ	~230V/50-60HZ
Refrigerant	R134A (R290- Optional)	R404A (R290 - Optional)	R134A (R290- Optional)	R404A (R290 - Optional)



AURA PIU				
	Upright Refrigerator	Upright Freezer	Upright Glass Door Refrigerator	Upright Fish Refrigerator
Model	ZC1UOAP	ZF1UOAP	ZC1UGOAP	ZF1UFIOAP
Dimension	70X80X210 CM	70X80X210 CM	70X80X210 CM	70X80X210 CM
Capacity (liters)	700	700	700	700
No. of Doors	1	1	1	1
Temp C	+2/+8	-15 / -18	+2/+8	-4/-6
Absorbed current	3.5 A	4 A	3.50 A	4 A
Supply Voltage	~230V/50-60HZ	~230V/50-60HZ	~230V/50-60HZ	~230V/50-60HZ
Refrigerant	R134A (R290- Optional)	R404A (R290 - Optional)	R134A (R290- Optional)	R404A (R290 - Optional)

AURA PIU				
	Upright Refrigerator	Upright Freezer	Upright Glass Door Refrigerator	Upright Fish Refrigerator
Model	ZC2UOAP	ZF2UOAP	ZC2UGOAP	ZF2UFIOAP
Dimension	140X80X210 CM	140x 80x 210 CM	140 x 80 x 210 CM	140 x 80 x 210 CM
Capacity (liters)	1400	1400	1400	1400
No. of Doors	2	2	2	2
Temp C	+2/+8	-15 / -18	+2/+8	-4/-6
Absorbed current	4 A	6 A	4 A	6 A
Supply Voltage	~230V/50-60HZ	~230V/60HZ	~230V/50-60HZ	~230V/50-60HZ
Refrigerant	R134A (R290- Optional)	R404A (R290 - Optional)	R134A (R290- Optional)	R404A (R290 - Optional)



ZETAM
THE VALUE THE QUALITY

www.zetam-professional.com
www.virtuvinox.com

ZETAM reserves the right to change dimensions, specifications, and design at anytime without prior notice



ZETAM Refrigerators